
T2S R3E

Idaho · Ada · 1 document(s) · Generated 10/30/2026

48 calls · 25 geo-located · 1 terrain flags · 6 verifications

& 1 TERRAIN FRAUD FLAG DETECTED




#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
1		▼	Exterior 1, 2, 3, 4, 5, 6, S. {1, 2, 3, E, & 1, & 2, W 5, 6, S [illegible] 3, & 4, W. Field Notes of the Survey of the Exterior Boundaries of Townships Nos 1, 2, 3, 4, 5 & 6 South of Ranges 1st 1, 2 & 3 East & Nos 1 & 2 West, and of Townships Nos 5 & 6 South of Ranges 3 & 4 West, of the Bois. Meridian, in the Territory of Idaho, by T. L. M. [illegible] under his Contract No. 1, bearing date the twenty ninth day of July 1868 Commenced August the 12th 1868 Completed Oct 3 rd [illegible] 1868 Copied & compared & transcribed & sent to Washington with Maps. October 20, 1868 & P. S—				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.




#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
2		●	1A I Peter N. Bell, having been appointed a deputy Surveyor of the Lands of the United States in the Territory of Idaho do solemnly Swear that I will, well and faithfully, and to the best of my Skill and Ability Execute the duties Confided to me pursuant to a Contract with Lafayette N. Carter, Surveyor General of Public Lands in Idaho. Bearing date the twenty ninth day of July 1868 according to the laws of the United States and the instruc- -tions received from the Said Surveyor General Peter N. Bell Subsribed and Sworn to Deputy Surveyor before me at Boise City this the 29th day of July A.D. 1868 L. S. Catlin Surv. Gen'l Idaho.				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.



2

We A.B. Plume, Jno. E. Plume
V and C.H. Bilderback do
Solemnly Swear that
we will well and faith
fully Execute the duties of
Chain Carriers; that we will
level the Chain upon uneve
Ground and Plumb the
Tally Pins. Whether by
sticki or dropping the Same
That we will report
the true dist to
all Notable objects on line
and the true length of all
lines that we assist in
Measuring to the best of
our Skill and Ability
A.B. Plume Chainm
C.H. Bilderback Chainm
J E Plume Chainm
Subscribed & sworn to
me at Boise City this
29th day of July 1868
B. F. Carter
Sur Sur Idaho


#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
3		●	2 We A.B. Plume, Jno. E. Plume V and C.H. Bilderback do Solemnly Swear that we will well and faith fully Execute the duties of Chain Carriers; that we will level the Chain upon uneve Ground and Plumb the Tally Pins. Whether by sticki or dropping the Same That we will report the true dist to all Notable objects on line and the true length of all lines that we assist in Measuring to the best of our Skill and Ability A.B. Plume Chainm C.H. Bilderback Chainm J E Plume Chainm Subscribed & sworn to before me at Boise City this 29th day of July 1868 B. F. Carter Sur Sur Idaho				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.




#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
4		●	3 We Wm. Allison & Wm. J. [illegible] V do solemnly Swear that we will well and truly perform the duties of a Jeman according to Instructions Given us, and to the best of Our Skill and Ability [illegible] a Jema William Allison A Jema Subscribed & sworn to before me at [Bur?] [aj?]: [Thur?] the 29th day of [Aug?] 1868 J. J. Cartie Sur. Gen[?]. Idaho				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.



204

154


We hereby Certify that we
Assisted F. M. Bell, Deputy
Surveyor in Surveying the
Exterior boundaries of Townships
No 1. 2. 3. 4. 5 & 6 South of Range
No 1 & 2 West and Townships
No 5 & 6 South of Ranges No 3 & 4 West
And of Townships No. 4, 5 & 6 South of
Range No 1. East and Townships
No 5 & 6 South of Range No 2. East
And of Township 6 South of Range
No 3 East of and that said Township
lines have been in all respects,
to the best of our Knowledge and
belief, Well and faithfully
Surveyed and the boundary
Monuments planted according
to the Instruction furnished
by the Surveyor General
C. J. Bilderback, Chainman
A. B. Pluing
Subscribed and sworn to before me William Allison axeman
Before at the 9th Day of Oct 1868
J. F. Carter

#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
5		●	204 154 We hereby Certify that we assisted F. M. Bell, deputy Surveyor in Surveying the Exterior boundaries of Townships No 1, 2, 3, 4, 5 & 6 South of Range No 1 & 2 West and Townships No 5 & 6 South of Ranges No 3 & 4 West And of Townships No 4, 5 & 6 South of Range No 1, East and Townships No 5 & 6 South of Range No 2, East and of Township 6, South of Range No 3 East of the Boise Meridian and that Said Township lines have been in all respects, to the best of our Knowledge and belief, Well and Faithfully Surveyed and the Boundary Monuments planted according to the Instructions furnished by the Surveyor General C. J. Bilderback, Chainman A. B. Pluing ...subscribed and sworn to before William Allison axeman Before at the 9th day of Oct 1868 J. F. Carter				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location
Numbers match the text table; only this scan page is shown.




#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
6		●	205 I S. J. Paul do Solemnly Swear that I will well and faithfully perform the duties of Chaincarrier that I will level the chain upon uneven Ground and plumb the tally pins whether by Sticking or dropping the Same. That I will report the true distance to all Notable objects, and the true length of all lines that I assist in measuring, to the best of my Skill and ability Subscribed and sworn J. J. Paul. to before me this 6th day of August A D 1868. A. T. Bradley Notary Public.				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.




#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
7		●	206. 156 I David Adams do Solemnly swear that I will faithfully execute the duties of chain bearer, that I will level the chain upon uneven ground, and plumb the tally pin whether by shortening or droping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring to the best of my skill and ability Daniel Adams Subscribed and Sworn to before me this 18th day of September A.D. 1868 Bob Heastronek Clerk Dist Court 3rd Judicial Dist of Idaho Territory				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.




#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
8		●	207 I Gabriel Lavoro, do solem- nly swear that I will well and truly perform the duties of axman according to instruc- tions given me and to the best of my skill and ability Gabriel Lavoro Subscribed and Sworn to before me this 18th day of Sept 1868 Sol [?] Castmeter Clerk Dist Court 3d Jude Dist of Idaho				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.



208

I. Meluse Davit do Solemnly Swear, that I will faithfully perform the duties of Chaincarrier that I will level the chain upon uneven Ground, and plumb the tally pins whether by Sticking or dropping the Same- that I will report the true distances to all Notable Objects on line and the true Length of all lines that I assist in Measuring to the best of My Skill and ability. asture Davit Chainman

Subscribed & Sworn to by me at my office in Bois Ci- the 15th day of August 1868

L. F. Carter

Sur. Gen. Idaho

#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
9		●	208 I. Meluse Davit do Solemnly Swear, that I will faithfully perform the duties of Chaincarrier that I will level the chain upon uneven Ground, and plumb the tally pins whether by Sticking or dropping the Same- that I will report the true distances to all Notable Objects on line and the true Length of all lines that I assist in Measuring to the best of My Skill and ability. asture Davit Chainman Subscribed & sworn to by me at my office in Bois Ci- the 15th day of August 1868 L. F. Carter Sur. Gen. Idaho				


PAGE SURVEY PLOT

N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.




#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
10		●	290 330 Index referring the lines to the pages of the field Notes of Township 2. S. R. 3 E..				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
11			338				
12			Between Ranges 3&4. E. T. 2 S Boise Mer				
13		▲	**Cor. Secs. 1-6-31-36 · [11 Feet] · V from the Corner to Townships 2&3 South of Ranges 3&4 o East I run N. on Range line between Secs 31&36 Var 12.00**	3220 2	AER	43.2003,-116.1559	100100
14	40.00	△	**[interpolated] · Set basaltic Stone 14x12x5 with Mound of Stone for 1/4 Sec Cor**	3232 2	AER	43.2076,-116.1559	
15	80.00	▲	**Cor. Secs. 25-30-31-36 · [12 Feet] · Set basaltic Stone 20x12x10 With Mound of Stone for corner to Secs 25, 30, 31, 36 Land Rolling Soil 2nd rate Thick Growth of Wild Sage — Stone basaltic**	3265 2	AER	43.2148,-116.1559	100200
16			V North between Sections 25 & 30 Var. 12 15 East				
17	40.00	△	**[interpolated] · Set basaltic Stone 14x9x8 with Mound of Stone for 1/4 Sec Cor**		AER	43.2076,-116.1559	
18	80.00	▲	**Cor. Secs. 19-24-25-30 · [12 Feet] · Set basaltic Stone 13x8x7 with Mound of Stone for corner to Secs 24, 25, 19, 30 Land rolling Soil 2nd rate Thick Growth of Wild Sage Stone basaltic**	3311 2	AER	43.2293,-116.1559	100300

PAGE SURVEY PLOT


N up



Lat 43.20031–43.22931 · Lon -116.15587–-116.15587

5 located symbols · 0 calls without a location

Numbers match the text table; only this scan page is shown.



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
19			Between Ranges 3 & 4 E. T. 2 S Boise Meridian				
20			North between Section 19 & 24 Va 20°00' East.				
21	40.00	△	[interpolated] · Set basaltic Stone 15 X 11 X 7 with Mound of Stone for ¼ Sec cor		AER	43.2511,-116.0382	
22	80.00	▲	Cor. Secs. 13-18-19-24 · [13 Feet] · Set basaltic Stone. 18 X 14 X 8 with Mound of Stone for corner to Secs 18, 19, 13 & 24 Land rolling Soil 2nd rate Thick Growth of Wild Sage Stone basaltic		AER	43.2438,-116.1559	100400
23			North between Sections 13 & 18 Va 2°[?]0' East				
24	40.00	△	[interpolated] · Set basaltic Stone 14 X 10 X 8 With pits as per instructions for ¼ Sec. cor.		AER	43.2511,-116.0382	
25	80.00	▲	Cor. Secs. 13-24 · [16 Feet] · Set basaltic Stone 15 X 12 X 10 with Mound of Stone for Corner to Sections 12, 13, 7, 18. Land rolling Soil 2nd rate, Thick Growth of Wild Sage Stone basaltic	3140 2	AER	43.2438,-116.0381	700400

PAGE SURVEY PLOT


N up



Lat 43.24380–43.25106 · Lon -116.15587–-116.03814

4 located symbols · 0 calls without a location

Numbers match the text table; only this scan page is shown.



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
26			Between Ranges 3 & 4 E. T. 2 S Boise Meridian				
27			North between Sections 7 & 12 Va 18 45' East				
28	40.00	△	**Set basaltic Stone 12 x 9 x 9 with Mound of Stone for ¼ Sec Cor**				
29	80.00	▲	**Cor. Secs. 1-6-7-12 · [14 Feet] · Set basaltic Stone 13 x 9 x 7 with Mound of Stone for Corner to Sections, 6, 7, 1, 12 Land rolling Soil 2nd rate, Covered with Wild Sage Stone basaltic**	3352 2	AER	43.2728,-116.1559	100600
30			North between Sections 1 & 6 Va 18 45' East				
31	40.00	△	**Set basaltic Stone 14 x 9 x 6 with Mound of Stone for ¼ sec. Cor**				
32	80.00	▲	**Cor. Secs. 1-12 · [16 Feet] · Set basaltic Stone, 12 x 8 x 7 with pits as per Instructions for Corner to Townships T 2 South of Ranges 3 & 4 East Land Rolling Soil 2nd rate Thick Growth of Wild Sage Stone basaltic Oct 2nd 1868**	3129 2	AER	43.2728,-116.0382	

PAGE SURVEY PLOT


N up



Lat 43.27279–43.27280 · Lon -116.15587–-116.03824

2 located symbols · 2 calls without a location

Numbers match the text table; only this scan page is shown.




#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
33			Between Townships 1 & 2, S R. 3 E Boise Meridian				
34		▲	**from the Corner to Townships 1 & 2 S. Ranges 3 & 4 East I run West on a Random Line between Said Townships.**				
35			Va 18.45 East				
36			Set Temporary half Mile and Mile Posts at 40 and 80 Chains. I find the Township Line to be 5 Miles 77.90 Chains and the falling to be 2.40 chs North of the Township Corner The correction for the True Line will therefore be 40 lks South per Mile				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
37			page 295 and 296				
38			3				
39			135				
40			Between Townships 1&2 S R 3 E Boise Meridian				
41		▲	**Cor. Secs. 6-31 · [12 Feet] · Chains from the Corner to Townships 1&2 S. Rs 2&3-East I run N 89°43' on a true line between Secs 6&31 Var 19°15' East.**	3208 2	AER	43.2003,-116.1470	140100
42	37.90	△	**[interpolated] · Set basaltic Stone 12x10x8 with pits as per Instructions for 1/4 sec Cor.**	3192 2	AER	43.2003,-116.1422	
43	77.90	▲	**Cor. Secs. 5-6-31-32 · [13 Feet] · Set basaltic Stone 15x10x8 with Mound of Stone for Corner to Secs 5, 6, 31, 32 Land rolling Soil 2nd rate dense growth of mild Sage**		AER	43.2003,-116.1371	200100
44			N 89°43' E on a true line between Secs 5&32 Var 19°15' East				
45	40.00	△	**[interpolated] · Set basaltic Stone 15x12x8 with mound of Stone for 1/4 sec cor.**	3192 2	AER	43.2003,-116.1419	
46	80.00	▲	**Cor. Secs. 1-12 · [16 Feet] · Set basaltic Stone 12x11x9 with Mound of Stone for corner to Sections 4 & 5, 32 & 33. Land rolling Soil 2nd rate Thick Growth of Wild Sage Stone basaltic**	3129 2	AER	43.2728,-116.0382	700600


PAGE SURVEY PLOT N up



Lat 43.20031–43.27279 · Lon -116.14698–-116.03824

5 located symbols · 0 calls without a location

Numbers match the text table; only this scan page is shown.



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
47			Between Townships 1 & 2 S. No 3. E. Boise Meridian				
48			N 89° 43' E on a true line between Secs 4 & 33 Va 18° 30' East				
49	40.00	△	**Set basaltic Stone 13 x 12 x 11 With Mound of Stone for ¼ sec cor**				
50	70.00	●	Variation 18° 30' East				
51	80.00	▲	**Cor. Secs. 3-4-33-34 · [16 Feet] · Set basaltic Stone 12 x 8 x 7 With Mound of Stone for corner to Sections 3, 4, 33, 34 Land rolling Soil 2nd rate Thick Growth of Wild Sage**		AER	43.2003,-116.0974	400100
52			N 89° 43' E on a true line between Secs 3 & 34 Va 16° 30' East				
53	40.00	△	**Set basaltic Stone 15 x 10 x 10 With Mound of Stone for ¼ sec Cor**				
54	80.00	▲	**Cor. Secs. 2-3-34-35 · [16 Feet] · Set basaltic Stone 16 x 10 x 10 With Mound of Stone for corner to Sections 2, 3, 34, 35 Land rolling Soil 2nd rate Thick Growth of Wild Sage Stone basaltic**	3143 2	AER	43.2003,-116.0776	500100

PAGE SURVEY PLOT


N up



Lat 43.20029–43.20030 · Lon -116.09743–-116.07762

2 located symbols · 3 calls without a location

Numbers match the text table; only this scan page is shown.



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
55			Between Townships 1 & 2 S R 3 E Boise Meridian				
56			Chaining N 89° 43' E on a true line bt Secs 35 & 36 Va 20° 60' East				
57	40.00	△	**[interpolated] · Set basaltic Stone 16 x 12 x 5 with Mound of Stone for ¼ Sec. cor.**	3159 2	AER	43.2003,-116.0677	
58	80.00	▲	**Cor. Secs. 1-2-35-36 · [14 Feet] · Set Basaltic Stone 13 x 9 x 7 with Mound of Stone for corner to Section 1, 2, 35 & 36 Land rolling Soil 2nd rate covered with Thick growth of Wild Sage**	3144 2	AER	43.2003,-116.0578	600100
59			N 89° 43' E on a true line between Secs 1 & 36 Va. 18° 45' East				
60	40.00	△	**[interpolated] · Set basaltic Stone 15 x 10 x 6 with Mound of Stone for ¼ sec cor**	3159 2	AER	43.2003,-116.0677	
61	80.00	▲	**Cor. Secs. 33-34 · [13 Feet] · to the Corner to Townships 1 & 2 S of Ranges 3 & 4 East Land rolling Soil 2nd rate Thick growth of Wild Sage Stone basaltic**	3207 2	AER	43.2851,-116.0944	400100

PAGE SURVEY PLOT


N up



Lat 43.20029–43.28512 · Lon -116.09440–-116.05780

4 located symbols · 0 calls without a location

Numbers match the text table; only this scan page is shown.


299
3
138

General description
This Township comprises
a large Amt of Good 2nd
rate Soil Which with
Irrigation will produce
Good Grass & Small Grain
The Formation is Entirely
Basallic


Index
referring the lines to the
pages of the field Notes
of
Township 1 S. R 3. E.

#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
62		●	299 3 138 General description This Township Comprises a large Amt of Good 2nd rate Soil Which with Irrigation Will Produce Good Grass & Small Grain The Formation is Entirely Basallic Index referring the lines to the pages of the Field Notes of Township 1 S. R. 3. E.				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location
Numbers match the text table; only this scan page is shown.



List of Names.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of the exterior boundaries of Townships one, two, and three South of Range one East,
One, two, three, and four South of Range two East and one, two, three, four and five South of Range three East of the Boise Meridian showing the respective capacities in which they acted.


David Adams Chainman
Joseph D Paul Chainman
Alex Davits Chainman
Gabriel Juvers Axman

#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
63		●	1 33 2 30 4 List of Names. A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of the exterior boundaries of Townships one, two, and three South of Range one East. One, two, three, and four South of Range two East and one, two, three, four and five South of Range three East of the Boise Meridian showing the respective capacities in which they acted. David Adams Chainman Joseph D Paul Chainmen Alex Davits Chainman Gabriel Juvers Axman				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location
Numbers match the text table; only this scan page is shown.



341

305

We hereby certify that we assisted Peter W. Bell deputy Surveyor, in surveying the exterior boun= daries of Townships number one, two and three South of the base line of Ranges number, one, two, and three East of the Boise Meridian and Townships number four South of Range two East and number four and five South of Range three East of the Boise Meridian and that said Townships have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary mo= numents planted according to the instructions furnished by the Surveyor General. } Daniel [illegible] Subscribed and } E. Hammon Joseph J. [illegible] sworn to before } Chammond Arthur Davis me this 9th day } Elman Garnet Barrons of October AD 1868 —

Sol Noastruck Clerk Dist Court 3d Jude Dist of Idaho Territory


#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
64		●	341 305 We hereby certify that we assisted Peter W. Bell deputy Surveyor, in surveying the exterior boun- daries of Townships number one, two and three South of the base line of Ranges number, one, two, and three East of the Boise Meridian and Townships number four South of Range two East and number four and five South of Range three East of the Boise Meridian and that said Townships have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary mo- numents planted according to the instructions furnished by the Surveyor General. Daniel [illegible] Subscribed and E. Hammon Joseph J. [illegible] sworn to before Chammond Arthur Davis me this 9th day Elman Garnet Barrons of October AD 1868 - Sol Noastruck Clert Dist Court 3d Jude Dist of Idaho Territory				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.



306

I Peter M. Bell Deputy Surveyor, do Solemnly Swear That, in pursuance of a Contract with Lafayette Cartie, Surveyor of the Public Lands of the United States in the Territory of Idaho bearing date the twenty ninth day of July 1868 and in strict conformity to the Laws of the United States and the Instructions furnished by the Said Surveyor General I have faithfully Surveyed the Exterior boundaries of Townships Number 1, 2, 3, 4, 5 & 6 South of Ranges Number 1, 2, & 3 East & 1 & 2 West & of Townships Number 5 & 6 South of Ranges 3 & 4 West of the Base Meridian, in the Territory aforesaid And do further Solemnly Swear That The foregoing are the True and Original Field Notes of Such Survey

Subscribed and sworn to, before me, at Boise City this the 1st day of Oct 1868

Peter M. Bell
Deputy Surveyor


#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
65		●	306 I Peter M. Bell Deputy Surveyor, do Solemnly Swear That, in pursuance of a Contract with Lafayette Cartie, Surveyor of the Public Lands of the United States in the Territory of Idaho bearing date the twenty ninth day of July 1868 and in strict conformity to the Laws of the United States and the Instructions furnished by the Said Surveyor General I have faithfully Surveyed the Exterior boundaries of Townships Number 1, 2, 3, 4, 5 & 6 South of Ranges Number 1, 2, & 3 East & 1 & 2 West & of Townships Number 5 & 6 South of Ranges 3 & 4 West of the Base Meridian, in the Territory aforesaid And do further Solemnly Swear That The foregoing are the True and Original Field Notes of Such Survey Subscribed and sworn to, before me, at Peter M. Bell Boise City this the 1st day of Oct 1868 Deputy Surveyor				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
66		●	301 307 Surveyor's Office at 1868 Boise City October 20th 18[?] The foregoing field notes of the survey of the Exterior boundaries of Township Nos 1, 2, 3, 4, 5 & 6 South of Ranges No 2 & 3 East & 1 & 2 West and of Townships Nos 5 & 6 South of Ranges 3 & 4 West of the Boise Meridian in the Territory of Id[aho] executed by Peter W. Bell, under his con[tract] of the 24th day of July 1868 having been critically ex[amined] mined the necessary corrections and off[sets] made, the said field notes, and t[he] surveys they describe are hereby app[roved] La Fayette Carter Sur. Genl. Idaho				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 1 calls without a location

Numbers match the text table; only this scan page is shown.

Field Note Summary & Terrain Fraud Profile

SURVEY RUN SUMMARY

Sections 4 & 7 & 12 & 19 & 24 & 33 · North

Ada, Idaho

START CORNER (ch 0.00)

Corner, Secs. 24 & 25

GCDB accuracy: 15 Feet

GCDB code: 700300

NOTABLE CALLS ALONG RUN

ch 0.00 Corner, Secs. 12 & 13
ch 0.00 Corner, Secs. 32 & 33
ch 37.90 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner

END CORNER (ch 80.00)

Corner, Secs. 33 & 34

GCDB accuracy: 13 Feet

GCDB code: 400100

28 total calls · 25 geo-located · 17 with elevation

TERRAIN FRAUD ANALYSIS

MODERATE

1 flag · 6 verifications

FLAGGED TERRAIN CALLS

ch — Chains from the Corner to Townships 1&2 S. Rs 2&3-East I run

& Text notes creek/stream crossing but elevation is a local HIGH (79 ft above prev point, 16 ft above next point) — terrain mismatch

TERRAIN-VERIFIED CALLS

' ch — V from the Corner to Townships 2&3 South of Ranges 3&4 o Eas
' ch 80.00 Set basaltic Stone 20x12x10 With Mound of Stone for corner t
' ch 80.00 Set basaltic Stone 15 X 12 X 10 with Mound of Stone for Corn
' ch 80.00 Set basaltic Stone 13 x 9 x 7 with Mound of Stone for Corner
' ch 80.00 Set basaltic Stone, 12 x 8 x 7 with pits as per Instructions

ELEVATION PROFILE · Sections: 4 · 7 · 12 · 19 · 24 · 33 · North

