
T3N R4E

California · Humboldt · 1 document(s) · Generated 10/30/2026

65 calls · 14 geo-located · 0 terrain flags · 0 verifications




#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
1		●	Page 94 Volume R 36 Field Notes T. 3 N., R. 4 E., H. M. by Frank S. Ingalls Contract Date: July 1, 1872				
2		●	See typed notes in Book 248.1. Frank S. Ingalls [Map depiction of township grid and sections labeled sequentially from 1 to 36]				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 2 calls without a location

Numbers match the text table; only this scan page is shown.



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
3		▲	**Cor. Secs. 1-6-31-36 · [0 Feet] · Note: For the reason given in the note preceding the survey of the Exterior Boundaries of T. 3. N. Range 4. E., I begin at the cor. to Tps. 2 & 3 N. Range 4 & 5 E., and run North on Range line bet. Secs. 31 & 36, over low hills sloping W. to Mad River, Var. 18°35'E.**		AER	40.5905,-123.7778	100100
4	37.50	●	A Dry Brook 20 chs. wide runs West.				
5	40.00	△	**Set a post for ¼ Sec. cor. with mound & pits, as per ins.**				
6	43.00	●	A Brook 15 chs. wide, runs West.				
7	80.00	▲	**Cor. Secs. 28-29-30-31 · [65 Feet] · Marked a White Oak 12 in. dia. for cor. to Secs. 28, 29, 30, 31, as per ins. Land low hills, sloping West to river, Soil 2nd rate. Timber open Oak, Fir & Madrona. Undergrowth Chaparral & Hazel.**		AER	40.6039,-123.7616	200200
8		●	North bet. Sections 23 & 30. Var. 18°35'E.				
9	1.50	●	Descend.				
10	24.50	●	Creek 30 lks. wide runs West. Ascend.				
11	27.00	●	Dry Brook, runs S.W.				
12	38.50	■	A Trail bears E. & W.				
13	40.00	△	**Set a post in Stone mound for ¼ Sec. cor., as per ins. From which, a White Oak 14 in. dia. bears N. 40ºE, 22 lks.**				
14	50.00	●	A Dry Brook runs S.W.				
15	60.00	○	**At S.E. Cor. of a rock about 5 ft high & 10 ft long.**				
16	80.00	▲	**Cor. Secs. 24-25 · [45 Feet] · Set a post in stone mound for cor. to Secs. 24, 25. as per ins. Land hilly & sloping S.W. Soil 2nd & 3rd rate. Timber Fir, Oak & Madrona. Undergrowth considerable chaparral.**		AER	40.6181,-123.6629	700300


PAGE SURVEY PLOT



Lat 40.59048–40.61808 · Lon -123.77784–-123.66287

3 located symbols · 11 calls without a location

Numbers match the text table; only this scan page is shown.



E Boundary T 3 N. R 4 E. Humboldt Meridian

95

North bet. Secs. 19 & 24
Var 18° 35' E.

1.50 A Trail bears E & W.
40.00 Set a post in Stone Mound for ¼ Sec. cor. as per ins.
44.00 Top of Spur of ridge trending S. W.
Descend
52.00 A Brook 5 lks. wide runs. West. Ascend.
80.00 Set a Stone 18 x 16 x 15. by Stone mound for cor. to Secs. 13, 24, 18, 19. as per ins
Land hilly Soil 2nd rate. Timber Fir. & Oak.
Undergrowth chaparral & Hazel, quite thick on S. ½ mile.

North bet Sections 13 & 18.
Var 18° 35' E.

3.00 Descend
17.00 A Brook 10 lks. wide runs West. Ascend
40.00 Set a post for ¼ Sec. cor. with mound & pits, as per ins.
Rises over low hills, Sloping West
70.00 A dry brook 5 lks. wide, runs S.W. Ascend main ridge
80.00 Marked an Oak 10 in. dia. for cor. to Secs 12. 13. 17. 18. as per ins
Land hilly - Soil 2nd & 3rd rate. Timber Fir.
Oak & Madrona. Undergrowth. dense chaparral.

North bet Sections 7 & 12.
Var 18° 35' E.

2.00 Leave thick chaparral & enter open Oak timber bears N. W. & S. E.
22.30 A Trail bears S. W. & S. E.
34.60 At N. W. corner, at a high rock.
40.00 Marked a Black Oak 10 in. dia. for ¼ Sec. cor. as per ins., on top of ridge, bearing N. W. & S. E.

#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
17		●	North bet. Secs. 19 & 24. Var. 18º35'E.				
18	1.50	■	A Trail bears E. & W.	2783 2			
19	40.00	△	**Set a post in stone mound for ¼ Sec. cor. as per ins.**	2462 2			
20	44.00	●	Top of spur of ridge trending S.W. Ascend.	2442 2			
21	53.00	●	A Brook 5 lks. wide runs West. Ascend.	2343 2			
22	80.00	▲	**Cor. Secs. 13-18-19-24 · [93 Feet] · Set a stone 18 x 16 x 15. By stone mound for cor. to Secs. 13, 24, 18, 19, as per ins. Land hilly. Soil 2nd rate. Timber Fir, & Oak. Undergrowth chaparral & Hazel, quite thick on S. ½ mile.**		AER	40.6330,-123.7779	100400
23		●	North bet. Sections 18 & 13. Var. 18º35'E.				
24	3.00	●	Descend.	1966 2			
25	17.00	●	A Brook 10 lks. wide runs West. Ascend.	1812 2			
26	40.00	△	**Set a post for ¼ Sec. cor. with mound & pits, as per ins.**	1492 2			
27	45.00	●	A Dry Brook 5 chs. wide, runs S.W. Ascend main ridge.	1395 2			
28	80.00	▲	**Cor. Secs. 12-13-17-18 · Marked an Oak 10 in. dia., for cor. to Secs. 12, 13, 17, 18, as per ins. Land hilly. Soil 2nd & 3rd rate. Timber Fir, Oak & Madrona. Undergrowth dense chaparral.**		AER	40.6485,-123.6842	
29		●	North bet. Sections 7 & 12. Var. 18º35'E.				
30	2.00	●	Leave thick chaparral & enter open Oak Timber bears N., W., & S.E.				
31	22.30	■	A Trail bears S. W. & S. E.				
32	34.60	●	At N.W. corner, at a high rock.				
33	40.00	△	**Marked a Black Oak 10 in. dia. for ¼ Sec. cor., as per ins., on top of ridge, bearing N., W. & S.E.**				

PAGE SURVEY PLOT


N up



Lat 40.63298–40.64846 · Lon -123.77790–-123.68420

2 located symbols · 15 calls without a location

Numbers match the text table; only this scan page is shown.



4

E Boundary of T 3 N. R 4 E. Humboldt Meridian.

42.00 A Trail bearing N. W. & S. E.
53.00 Enter Fir timber, bearing at W. & E., descend.
71.50 Head of deep Gulch, heads S.E. Descend.
80.00 Marked a Fir 8 in. dia. for cor. to Secs. 1, 12, 6, 7, as per ins. Land hilly, N. E. & S. W. Slopes of ridge, Soil 1st, 2nd & 3rd rate, Timber fourth 33 chs. open Oak. Remainder Firs, Oak, & Madrona, Considerable chaparral Sept 25th 1872.

North bet. Sections 1 & 6
Var 18° 35' E.

8.00 Descend into deep canon
12.00 A Fir 36 in. dia.
24.00 A Brook 20 lks. wide runs East. through deep canon. Ascend
40.00 Set a post for 1/4 Sec. cor. with mound & pits, as per ins.
70.00 Leave canon bears N. W & S. E. Descend.
80.00 Marked a Black Oak 10 in. dia for cor. to Tps. 3 & 4, N. Ranges 4 & 5 E. as per ins. from which, A Black Oak 10 in. dia. bears N. 35° E. 67 lks. A Maple 10 in. dia. bears S. 75 E. 42 lks. A Fir 60 in. dia bears S. W. 32 " Land very hilly – Soil 2nd & 3rd rate, Timber Oak & Madrona. Considerable chaparral.

From the cor. to Townships 3 & 4 N. Ranges 4 & 5 E. run West on a random line, bet. Tps. 3 & 4 N. Ranges 4 E. Var 18° 40' E.

Set Stmp. 1/2 mile & mile posts, at every 40 chs & 80 chs, & find the Township line to be 3 miles & 77.75 chs. and the falling 2.25 chs. North of the Township corner.

#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
34	42.00	■	A Trail bearing N.W. & S.E.				
35	53.00	●	Enter Fir timber, bearing at W. & E., descend.				
36	71.50	▼	Head of deep Gulch, heads S.E. Descend.				
37	80.00	▲	**Cor. Secs. 6-7-11-12 · Marked a Fir 8 in. dia., for cor. to Secs. 11, 12, 6, 7, as per ins., Land hilly, N.E. & S.W. slopes of ridge, Soil 1st & 2nd rate, Timber Fir, Oak & Madrona. Considerable Chaparral. Sept. 25th, 1872.**		AER	40.6622,-123.7616	

PAGE SURVEY PLOT


N up



Lat 40.66220–40.66220 · Lon -123.76163–-123.76163

1 located symbols · 3 calls without a location

Numbers match the text table; only this scan page is shown.



4

97

N. Boundary T 3 N. R 4 E. Humboldt Meridian

The correction will therefore be 4 chs. South per mile.
September 26, 1872.

From the cor. to Tps. 3 & 4 N. Ranges 3 & 4 E. I run
N. 89°40' E. on a true line, bet. Secs. 6 & 31.
Var 18°40' E

Ascend over steep hills, sloping S. W.
39.18 Set a post for ¼ Sec. cor. with mound & pits, as per ins.,
79.18 Set a post in Stone mound for cor. to Secs. 5. 6. 31. 32 as per ins.
Land hilly - Soil 2nd & 3rd rates. - Timber Oak.
Pine & Fir, - Undergrowth dense chaparral.

N. 89°40' E. on a true line bet. Secs. 5 & 32,
Var 18°40' E

21.50 Descend
40.00 Set a post in Stone mound for ¼ Sec. cor. as per ins.
71.50 Bug creek 26 lks. wide, runs S. E.
80.00 Set a post in Stone mound for cor. to Secs. 4. 5. 32. 33. as per ins.
Land steep hills, sloping S. E. - Soil 3rd rate.
Timber Fir. Oak. Laurel & Madrona, Undergrowth.
chaparral & Hazel.

N. 89°40' E. on a true line bet. Secs. 4 & 33
Var 18°40' E.

5.00 Leave thick chaparral, bears N. & E.
40.00 Set a post for ¼ Sec. cor. with mound & pits. as per ins.
54.40 A Brook 25 lks. wide runs South.
68.00 " " " " " "
80.00 Set a post in Stone mound for cor. to Secs. 3. 4. 33. 34,
as per ins. Land hilly, Soil 1st & 2nd rates. Timber
Oak. Fir. & Madrona - Undergrowth chaparral &
Hazel, quite open South of line

PAGE SURVEY PLOT

N up




Lat 40.58732–40.59022 · Lon -123.76800–-123.72626

6 located symbols · 7 calls without a location

Numbers match the text table; only this scan page is shown.

#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
38		●	The correction will therefore be 4 chs. South per mile. September 26, 1872.				
39		▲	**Cor. Secs. 6-31 · [0 Feet] · From the cor. to Tps. 3 & 4 N. Range 3 & 4 E., I run N. 89°40'.E. on a true line, bet. Secs. 6 & 31. Var. 18°40'E.**		AER	40.5902,-123.7680	140100
40	39.18	△	**Ascend over steep hills, sloping S.W. Set a post for ¼ Sec. cor. with mound & pits, as per ins.**	2589 2			
41	79.18	▲	**Cor. Secs. 5-6-31-32 · [0 Feet] · Set a post in stone mound for cor. to Secs. 5 & 6, 31 & 32, as per ins. Land hilly. Soil 2nd & 3rd rates. Timber Oak, Pine & Fir. Undergrowth dense chaparral.**		AER	40.5893,-123.7606	200100
42		●	N. 89°40'E. on a true line, bet. Secs. 5 & 32. Var. 18°40'E.				
43	21.50	●	Descend.	2989 2	AER	40.5888,-123.7561	
44	40.00	△	**[interpolated] · Set a post in stone mound for ¼ Sec. cor. as per ins., Bug Creek 26 lks. wide, runs S.E.**		AER	40.5884,-123.7523	
45	71.50	▲	**Cor. Secs. 4-5-32-33 · [0 Feet] · Set a post in stone mound for cor. to Secs. 4, 5, 32, & 33, as per ins. Land steep hills, sloping S.E. Soil 3rd rate. Timber Fir, Oak, Laurel & Madrona. Undergrowth chaparral & Hazel.**		AER	40.5876,-123.7458	300100
46		●	N. 89°40'E. on a true line, bet. Secs. 4 & 33. Var. 18°40'E.				
47	5.00	●	Leave thick chaparral, bears N. & E.	3421 2			
48	40.00	△	**Set a post for ¼ Sec. cor. with mound & pits, as per ins.**				
49	54.40	●	A Brook 25 lks. wide, runs South.	3586 2			
50	68.00	▲	**Cor. Secs. 3-4-33-34 · [0 Feet] · Set a post in stone mound for cor. to Secs. 3, 4, 33, & 34, as per ins.**		AER	40.5873,-123.7263	400100



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
51	19.70	●	Branch of Bag creek 20 lks. wide runs S.W.	3539 2			
52	40.00	△	**Set a post in stone mound for ¼ Sec. cor. as per ins.**				
53	43.50	●	A Brook 6 lks. wide runs S. W.	3150 2			
54	80.00	▲	**Cor. Secs. 2-3-34-35 · [0 Feet] · Set a post for cor. to Secs. 2, 3, 34, 35; with mound & pits as per ins. from which N. Black Oak 25 ins. dia. bears S. 72° W. 128 lks. Land low hills, Sloping S. W. Soil 2nd & 3rd rate. Timber Hi. Oak & Cedar. Undergrowth considerable. Hazel & Chaparral.**		AER	40.5879,-123.7050	500100
55		●	N. 89° 40' E. on a true line bet. Secs. 4 & 35. Var 18° 40' E.				
56	18.00	●	Top of spur of ridge, trending South & bears North about ½ mile, to main Ridge. Descend.				
57	24.50	●	Brook head of Deer Creek 10 lks. wide runs South. Ascend.	3951 2			
58	40.00	△	**Set a post for ¼ Sec. cor. with mound & pits as per ins.**				
59	76.50	●	Top of ridge, bears N. N. & S. E.	3482 2			
60	80.00	▲	**Cor. Secs. 1-2-35-36 · [0 Feet] · Marked a Fir, 25 in dia for cor. to Secs. 1, 2, 35 as per ins. Land hilly S. E., & S. W. Slopes of Ridge & Spurs. Soil 2nd & 3rd rates. Timber Fir, Oak & Cedar. Undergrowth dense chaparral.**		AER	40.5884,-123.6837	600100
61		●	N. 89° 40' E. on a true line bet. Secs. 1 & 36. Var 18° 40' E.				
62	22.50	●	A Brook 5 lks. wide runs N. E.				
63	40.00	△	**Marked a Fir 8 ins. dia. for ¼ Sec. cor. as per ins.**				

PAGE SURVEY PLOT


N up



Lat 40.58787–40.58841 · Lon -123.70499–-123.68373

2 located symbols · 11 calls without a location

Numbers match the text table; only this scan page is shown.



#	Ch	Type	Field Note Text	Elev	Links	Lat/Lon	GCDB
64	62.90	●	A Brook 11 lks. wide runs N. E.				
65	80.00	▲	**The cor. to Township 3 N. Range 4 E. East Land hilly & steep N. E. slope of Ridge. Soil 2nd rate. Timber Fir, Oak, Cedar & Madrone. Undergrowth of same and chaparral. Sept 27th 1872.**				

PAGE SURVEY PLOT N up

No reliable locations available for this page.

0 located symbols · 2 calls without a location

Numbers match the text table; only this scan page is shown.

Field Note Summary & Terrain Fraud Profile

SURVEY RUN SUMMARY

Humboldt, California

START CORNER (ch 0.00)

Quarter corner

NOTABLE CALLS ALONG RUN

ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner
ch 40.00 Quarter corner

END CORNER (ch 80.00)

Section corner

52 total calls · 14 geo-located · 16 with elevation

TERRAIN FRAUD ANALYSIS

NONE

0 flags · 0 verifications

ELEVATION PROFILE

